Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Reference number: 31501 Issue date: 30-08-17 Revision date: 28-12-22 Supersedes version of: 10-05-19 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : ENGINE CLEANER UFI : 7T10-D0AS-00D-2N0D

Product code : 800653 Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use Function or use category : Fuel additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

IPONE S.A La meunière FR- 13480 CABRIES **FRANCE** T +33 4 42 94 05 65

info@ipone.fr

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD 2090	+356 2545 6508	
Saudi Arabia	Poison Control Center-Riyadh	General Directorate of Health Affairs Medial Province	+966 112324180 +966 112324189	
United Arab Emirates	Health Authority – Abu Dhabi (HAAD) Poison & Drug Information Center (PDIC)	P.O. Box 5674	+ 800-424	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

H304 Aspiration hazard, Category 1

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS08

Signal word (CLP) : Danger

Contains : Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Hazard statements (CLP) : H304 - May be fatal if swallowed and enters airways.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P262 - Do not get in eyes, on skin, or on clothing.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor.

P331 - Do NOT induce vomiting.

P405 - Store locked up.

P501 - Dispose of contents/container to a hazardous or special waste collection point.

EUH-statements : EUH066 - Repeated exposure may cause skin dryness or cracking.

Child-resistant fastening : Applicable Tactile warning : Applicable

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component		
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics substance with national workplace exposure limit(s) (FR)	CAS-No.: 64742-48-9 EC-No.: 918-481-9 REACH-no: 01-2119457273- 39	50-100	Asp. Tox. 1, H304 EUH066
KEROSENE substance with national workplace exposure limit(s) (BE, NL)	CAS-No.: 8008-20-6 EC-No.: 232-366-4 EC Index-No.: 649-404-00-4	2-10	Flam. Liq. 3, H226 Asp. Tox. 1, H304

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name		Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
substance wit (AT, BE, DE,	ethylethoxy)propanol h national workplace exposure limit(s) DK, ES, FI, FR, GB, HU, IE, IT, LV, NL, substance with a Community workplace	CAS-No.: 34590-94-8 EC-No.: 252-104-2 REACH-no: 01-2119450011- 60	2-10	Not classified

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If medical advice is needed, have

product container or label at hand.

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing.

First-aid measures after skin contact : Remove contaminated clothes. Wash skin with plenty of water. Wash contaminated clothing

before reuse.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

First-aid measures after ingestion : Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May be fatal if swallowed and enters airways.

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after ingestion : May be fatal if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Water spray. Dry powder. Foam.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other

toxic gases.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Prevent liquid from entering sewers, watercourses, underground or low areas.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area. Eliminate every possible source of ignition. Ensure adequate ventilation,

especially in confined areas. Keep public away from danger area. Equip cleanup crew with

proper protection.

28-12-22 (Revision date) EN (English) 3/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Dike for recovery or absorb with appropriate material. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Recover the product with absorbent material.

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Hygiene measures : Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide local exhaust or general room ventilation. Storage conditions : Store in a closed container. Keep out of frost.

Heat and ignition sources : Keep away from naked flames/heat. Keep away from ignition sources.

Storage area : Store in a dry place. Store in a well-ventilated place.

Special rules on packaging : Store in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9)		
France - Occupational Exposure Limits		
VME (OEL TWA)	1200 mg/m³	
VME (OEL TWA) [ppm]	184 ppm	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1] 275 mg/m³		
Grenseverdi (OEL TWA) [2]	50 ppm	
(2-methoxymethylethoxy)propanol (34590-94-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name (2-Methoxymethylethoxy)-propanol		
IOEL TWA	308	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

(2-methoxymethylethoxy)propanol (34590-94-8)		
IOEL TWA [ppm]	50 ppm	
Remark	Skin	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	307 mg/m³	
MAK (OEL TWA) [ppm]	50 ppm	
MAK (OEL STEL)	614 mg/m³	
MAK (OEL STEL) [ppm]	100 ppm	
Belgium - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	309 mg/m³	
OEL TWA [2]	50 ppm	
OEL STEL	618 mg/m³	
OEL STEL [ppm]	100 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	310 mg/m³	
HTP (OEL TWA) [2]	50 ppm	
France - Occupational Exposure Limits		
Local name	(2-méthoxyméthyléthoxy)-propanol	
VME (OEL TWA)	308 mg/m³	
VME (OEL TWA) [ppm]	50 ppm	
Remark	Valeurs règlementaires contraignantes; risque de pénétration percutanée	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA) [1]	310 mg/m³	
AGW (OEL TWA) [2]	50 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	308 mg/m³	
CK (OEL STEL)	308 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA [1]	308 mg/m³	
OEL TWA [2]	50 ppm	
Italy - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

(2-methoxymethylethoxy)propanol (34590-94-8)		
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	300 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m³	
NDSCh (OEL STEL)	280 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	308 mg/m³	
VLA-ED (OEL TWA) [2]	50 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	300 mg/m³	
NGV (OEL TWA) [ppm]	50 ppm	
KTV (OEL STEL)	450 mg/m³	
KTV (OEL STEL) [ppm]	75 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	308 mg/m³	
WEL TWA (OEL TWA) [2]	50 ppm	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	300 mg/m³	
MAK (OEL TWA) [2]	50 ppm	
KZGW (OEL STEL)	300 mg/m³	
KZGW (OEL STEL) [ppm]	50 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	600 mg/m³	
ACGIH OEL TWA [ppm]	100 ppm	
ACGIH OEL STEL	900 mg/m³	
ACGIH OEL STEL [ppm]	150 ppm	
KEROSENE (8008-20-6)		
Belgium - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
OEL STEL	10 mg/m³	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	5 mg/m³	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	5 mg/m³	

8.1.2. Recommended monitoring procedures

No additional information available

28-12-22 (Revision date) EN (English) 6/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Gloves. EN 374

8.2.2.3. Respiratory protection

Respiratory protection:

Good ventilation of the workplace required

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Yellow. Appearance : Liquid. Odour Not available Odour threshold Not available Melting point Not available Freezing point Not available Boiling point Not available Flammability : Not available **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available : 64 °C Flash point : Not available Auto-ignition temperature Decomposition temperature : Not available : Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available

Density : 0,791 – 0,806 g/cm³ (20°C)

Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Heat. Open flame. Sparks. Water, humidity. Freezing.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9)	
LD50 oral rat > 5000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat 4951 mg/m³ 4 hours	
(2 moth asymptotical barry) managed (24500.04.0)	

(2-methoxymethylethoxy)propanol (34590-94-8)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	9510 mg/kg
LC50 Inhalation - Rat	3,35 mg/l

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LD50 oral rat > 5000 mg/kg	KEROSENE (8008-20-6)		
LD50 dermal rabbit LC50 Inhalation - Rat > 5,28 mg/l/4h Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4) LD50 oral rat 3600 mg/kg (OCDE 401) LD50 dermal rabbit 20000 mg/kg (OCDE 402) Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-single CLEANER Viscosity, kinematic < 20,5 mm²/s (40°C) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9) Viscosity, kinematic 1,3 mm²/s (2-methoxymethylethoxy)propanol (34590-94-8)	LD50 oral rat	> 5000 mg/kg	
LC50 Inhalation - Rat Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4) LD50 oral rat 3600 mg/kg (OCDE 401) LD50 dermal rabbit 20000 mg/kg (OCDE 402) Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-single exposure : Not c	LD50 dermal rat	> 2000 mg/kg	
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4) LD50 oral rat 3600 mg/kg (OCDE 401) LD50 dermal rabbit 20000 mg/kg (OCDE 402) Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. ENGINE CLEANER Viscosity, kinematic 20,5 mm²/s (40°C) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9) Viscosity, kinematic 1,3 mm²/s (2-methoxymethylethoxy)propanol (34590-94-8)	LD50 dermal rabbit	> 2000 mg/kg	
LD50 oral rat LD50 dermal rabbit 20000 mg/kg (OCDE 401) 20000 mg/kg (OCDE 402) Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. ENGINE CLEANER Viscosity, kinematic < 20,5 mm²/s (40°C)	LC50 Inhalation - Rat	> 5,28 mg/l/4h	
LD50 dermal rabbit 20000 mg/kg (OCDE 402) Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. ENGINE CLEANER Viscosity, kinematic < 20,5 mm²/s (40°C) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9) Viscosity, kinematic 1,3 mm²/s (2-methoxymethylethoxy)propanol (34590-94-8)	Phosphorodithioic acid, mixed O,O-bis(iso-E	Bu and pentyl) esters, zinc salts (68457-79-4)	
Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. ENGINE CLEANER Viscosity, kinematic < 20,5 mm²/s (40°C) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9) Viscosity, kinematic 1,3 mm²/s	LD50 oral rat	3600 mg/kg (OCDE 401)	
Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. ENGINE CLEANER Viscosity, kinematic < 20,5 mm²/s (40°C) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9) Viscosity, kinematic 1,3 mm²/s	LD50 dermal rabbit	20000 mg/kg (OCDE 402)	
Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. ENGINE CLEANER Viscosity, kinematic <20,5 mm²/s (40°C) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9) Viscosity, kinematic 1,3 mm²/s (2-methoxymethylethoxy)propanol (34590-94-8)	Skin corrosion/irritation :	Not classified	
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. ENGINE CLEANER Viscosity, kinematic < 20,5 mm²/s (40°C) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9) Viscosity, kinematic	Serious eye damage/irritation :	Not classified	
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. ENGINE CLEANER Viscosity, kinematic < 20,5 mm²/s (40°C) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9) Viscosity, kinematic 1,3 mm²/s (2-methoxymethylethoxy)propanol (34590-94-8)	Respiratory or skin sensitisation :	Not classified	
Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. ENGINE CLEANER Viscosity, kinematic < 20,5 mm²/s (40°C) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9) Viscosity, kinematic 1,3 mm²/s (2-methoxymethylethoxy)propanol (34590-94-8)	Germ cell mutagenicity :	Not classified	
STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. ENGINE CLEANER Viscosity, kinematic < 20,5 mm²/s (40°C) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9) Viscosity, kinematic 1,3 mm²/s (2-methoxymethylethoxy)propanol (34590-94-8)	Carcinogenicity :	Not classified	
STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. ENGINE CLEANER Viscosity, kinematic < 20,5 mm²/s (40°C) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9) Viscosity, kinematic 1,3 mm²/s (2-methoxymethylethoxy)propanol (34590-94-8)	Reproductive toxicity :	Not classified	
Aspiration hazard : May be fatal if swallowed and enters airways. ENGINE CLEANER Viscosity, kinematic < 20,5 mm²/s (40°C) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9) Viscosity, kinematic 1,3 mm²/s (2-methoxymethylethoxy)propanol (34590-94-8)	STOT-single exposure :	Not classified	
ENGINE CLEANER Viscosity, kinematic < 20,5 mm²/s (40°C) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9) Viscosity, kinematic 1,3 mm²/s (2-methoxymethylethoxy)propanol (34590-94-8)	STOT-repeated exposure :	Not classified	
Viscosity, kinematic < 20,5 mm²/s (40°C) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9) Viscosity, kinematic 1,3 mm²/s (2-methoxymethylethoxy)propanol (34590-94-8)	Aspiration hazard :	May be fatal if swallowed and enters airways.	
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9) Viscosity, kinematic 1,3 mm²/s (2-methoxymethylethoxy)propanol (34590-94-8)	ENGINE CLEANER		
Viscosity, kinematic 1,3 mm²/s (2-methoxymethylethoxy)propanol (34590-94-8)	Viscosity, kinematic	< 20,5 mm²/s (40°C)	
(2-methoxymethylethoxy)propanol (34590-94-8)	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9)		
	Viscosity, kinematic	1,3 mm²/s	
Viscosity, kinematic 4,55 mm²/s (20°C)	(2-methoxymethylethoxy)propanol (34590-94-8)		
	Viscosity, kinematic	4,55 mm²/s (20°C)	

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9)		
LC50 - Fish [1]	> 1000 mg/l	
EC50 - Crustacea [1]	> 1000 mg/l Daphnia Magna	
EC50 72h - Algae [1]	> 1000 mg/l Pseudokirchnerella subcapitata	
NOEC chronic algae	1000 mg/l Pseudokirchnerella subcapitata	
(2-methoxymethylethoxy)propanol (34590-94-8)		
LC50 - Fish [1]	> 10000 mg/l	
KEROSENE (8008-20-6)		
LC50 - Fish [1]	18 – 25 mg/l	
LC50 - Fish [2]	45 mg/l	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

KEROSENE (8008-20-6)		
LC50 - Other aquatic organisms [1]	1 – 100 mg/l	
EC50 - Crustacea [1]	1,4 – 21 mg/l	
TLM - Fish [1]	2996 ppm (24h; Lepomis macrochirus)	
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4)		
LC50 - Fish [1]	4,5 mg/l (Cyprinodon variegatus - OECD 203)	
EC50 - Crustacea [1]	23 mg/l (Daphnia magna - OECD 202)	
EC50 72h - Algae [1]	21 mg/l (Scenedesmus subspicatus - OECD 201)	

12.2. Persistence and degradability

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9)		
Biodegradation	80 % 28 days	
KEROSENE (8008-20-6)		
Persistence and degradability	Readily biodegradable.	
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4)		
Persistence and degradability	Not readily biodegradable.	
Biodegradation	1,5 % OCDE 301 B	

12.3. Bioaccumulative potential

(2-methoxymethylethoxy)propanol (34590-94-8)		
Partition coefficient n-octanol/water (Log Pow) 0,006		
KEROSENE (8008-20-6)		
Partition coefficient n-octanol/water (Log Pow)	3,3 – 6	
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4)		
Partition coefficient n-octanol/water (Log Pow) 0,69		

12.4. Mobility in soil

KEROSENE (8008-20-6)	
Surface tension	0,02 – 0,03 N/m
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4)	
Mobility in soil Après libération, est absorbé par le sol.	

12.5. Results of PBT and vPvB assessment

Component	
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

28-12-22 (Revision date) EN (English) 10/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of this material and its container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

Sewage disposal recommendations : Do not discharge into drains or the environment.

Product/Packaging disposal recommendations : Collect all waste in suitable and labelled containers and dispose according to local

legislation.

Additional information : Empty the packaging completely prior to disposal. Do not re-use empty containers.

Ecology - waste materials : Do not discharge the product into the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	14.2. UN proper shipping name		
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

28-12-22 (Revision date) EN (English) 11/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Detergent Regulation (648/2004)

Labelling of contents	
Component	%
aliphatic hydrocarbons	≥30%
aromatic hydrocarbons	<5%

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 36	Diseases caused by oils and fats of mineral or synthetic origin
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : KEROSENE is listed

SZW-lijst van mutagene stoffen : KEROSENE is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

28-12-22 (Revision date) EN (English) 12/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Switzerland

Storage class (LK) : LK 6.1 - Toxic materials

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:	
Asp. Tox. 1	Aspiration hazard, Category 1
EUH066	Repeated exposure may cause skin dryness or cracking.
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.