

# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: FORK 20 Product code: fork-20

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Fluid for fork

### 1.3. Details of the supplier of the safety data sheet

Registered company name: IPONE

Address: La Meunière . 13480 CABRIES FR

Telephone: +33 (0)4 42 94 05 65. Fax: +33 (0)4 42 94 05 66. Telex: .

info@ipone.fr

1.4. Emergency telephone number: www.centres-antipoison.net/index.

Association/Organisation: Centre Anti Poison de NANCY.

Other emergency numbers

UNITED STATES: 001 866 928 0789 / CANADA: 001 800 579 7421 / MEXICO: +52 55 5004 8763 / MIDDLE EAST - AFRICA: +44 1235

239671

BRAZIL: +55 11 3197 5891 / COLOMBIA: +57 601 508 7337 / ARGENTINA: +54 11 5984 3690 / CHILE: +562 2582 9336

Ireland: +353 1 8092566 24 hours a day, 7 days a week

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture



In compliance with EC regulation No. 1272/2008 and its amendments.

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

#### 2.2. Label elements



In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS09

Hazard statements:

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements - General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Precautionary statements - Prevention:

P273 Avoid release to the environment.

Precautionary statements - Response : P391 Collect spillage.

Precautionary statements - Disposal:

P501 Dispose of contents / container in accordance with local / regional / national /

international regulations



### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 59 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.2. Mixtures

#### 27

Composition:

Dimposition :	Classification (EC) 1272/2008	Note	%
CAS: 64742-65-0	Classification (EC) 1212/2000	L	25 <= x % < 50
EC: 265-169-7		-	25 1- X /0 1 50
REACH: 01-2119471299-27			
DISTILLATES (PETROLEUM),			
SOLVENT-DEWAXED HEAVY			
PARAFFINIC			
CAS: 72623-87-1		L	10 <= x % < 25
EC: 276-738-4			
REACH: 01-2119474889-13			
LUBRICATING OILS (PETROLEUM),			
C20-50, HYDROTREATED NEUTRAL			
OIL-BASED			
CAS: 64742-57-0		L	10 <= x % < 25
EC: 265-160-8			
REACH: 01-2119489287-22-0004			
RESIDUAL OILS (PETROLEUM),			
HYDROTREATED			
CAS: 64742-54-7		L	2.5 <= x % < 10
EC: 265-157-1		-	
REACH: 01-2119484627-25			
DISTILLATES (PETROLEUM),			
HYDROTREATED HEAVY PARAFFINIC			
CAS: 61791-53-5	GHS07, GHS09, GHS08		0 <= x % < 2.5
EC: 263-186-4	Wng		S X 70 2.0
20. 200 100 4	Skin Irrit. 2, H315		
AMINES, N-TALLOW	Eye Irrit. 2, H319		
ALKYLTRIMETHYLENEDI-, OLEATES	STOT RE 2, H373		
ALKTETKIMETTT LENEDI-, OLEATEO	Aquatic Acute 1, H400		
	M Acute = 10		
	Aguatic Chronic 1, H410		
	M Chronic = 1		
CAS: 112-90-3	GHS07, GHS05, GHS09, GHS08		0 <= x % < 2.5
EC: 204-015-5	Dgr		
REACH: 01-2119473797-19	Acute Tox. 4, H302		
(7) OOTABEO O ENN/ *****	Asp. Tox. 1, H304		
(Z)-OCTADEC-9-ENYLAMINE	Skin Corr. 1B, H314		
	STOT SE 3, H335		
	STOT RE 2, H373		
	Aquatic Acute 1, H400		
	M Acute = 10		
	Aquatic Chronic 1, H410		
	M Chronic = 10		
CAS: 7664-38-2	GHS05	[i]	0 <= x % < 2.5
EC: 231-633-2	Dgr		
REACH: 01-2119485924-24	Skin Corr. 1B, H314		
PHOSPHORIC ACID			
CAS: 140-88-5	GHS06, GHS02	[i]	0 <= x % < 2.5
EC: 205-438-8	Dgr	1.1	X /0 · 2.0
REACH: 01-2119459301-46	Flam. Liq. 2, H225		
,,	· ······   Liq. =,   i===>		

SAFETY DATA SHEET (REGULATION FORK 20 - fork-20	SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) FORK 20 - fork-20					
ETHYL ACRYLATE	Acute Tox. 4, H312 Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Acute Tox. 3, H331 STOT SE 3, H335 Aquatic Chronic 3, H412					

# **W**

### Specific concentration limits:

Identification	Specific concentration limits	ATE
CAS: 72623-87-1		inhalation: ATE = 5.53 mg/l 4h
EC: 276-738-4		(dust/mist)
REACH: 01-2119474889-13		
LUBRICATING OILS (PETROLEUM),		
C20-50, HYDROTREATED NEUTRAL		
OIL-BASED		
CAS: 7664-38-2	Skin Corr. 1B: H314 C>= 25%	
EC: 231-633-2	Skin Irrit. 2: H315 10% <= C < 25%	
REACH: 01-2119485924-24	Eye Dam. 1: H318 C>= 3%	
	Eye Irrit. 2: H319 10% <= C < 3%	
PHOSPHORIC ACID		



### Information on ingredients:

(Full text of H-phrases: see section 16)

[i] Substance for which maximum workplace exposure limits are available.

Note L: The carcinogen classification does not apply because the substance contains less than 3 % w/w of dimethyl sulphoxide (DMSO) measured using the IP 346 method.

### **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

### 4.1. description of first aid measures

### In the event of exposure by inhalation:

Remove the victim to fresh air. If the symptoms persist, call a physician.

### In the event of splashes or contact with eyes :

Wash immediately and abundantly with water, including under the eyelids.

# In the event of splashes or contact with skin:

Immediately remove all soiled clothing.

Wash immediately and abundantly with soap and water.

### In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

# 5.1. Extinguishing media

### Suitable methods of extinction

Dry agent, foam, carbon dioxide.

### Unsuitable methods of extinction

High volume water jet

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

Spilled product may make surfaces slippery.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

# **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Do not swallow

Do not get in eyes, on skin, or on clothing.

#### Fire prevention:

Prevent access by unauthorised personnel.

Take precautionary measures against static discharges by bonding and grounding equipment.

No smoking.

### Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Ensure good ventilation at the workplace

# Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

Do not breathe fumes, vapour, spray.

# 7.2. Conditions for safe storage, including any incompatibilities

Store between 5°C and 40°C in a dry, well ventilated place.

Only use hydrocarbon-resistant containers, joints and pipes.

# Storage

Keep out of reach of children.

# **Packaging**

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1. Control parameters

No data available.



Occupational	ı	е	xposure	limits	:
_					

CAS	VME-mg/m3:	VME-ppm:	VLE-mg/m3:	VLE-ppm:	Notes:
7664-38-2	1	-	2	-	-
140-88-5	21	5	42	10	-
- UK :					

CAS	TWA:	STEL:	Ceiling :	Definition :	Criteria :
7664-38-2	1 mg/m3	2 mg/m3			

SAFETY DATA FORK 20 - for	`	ON (EC) n° 1907/2006	- REACH)	Version 7.1 (1	6-01-2025) - Page 5/12	2
140-88-5	5 ppm 21 mg/m3	10 ppm 42 mg/m3				

### Derived no effect level (DNEL) or derived minimum effect level (DMEL):

(Z)-OCTADEC-9-ENYLAMINE (CAS: 112-90-3)

Final use: Workers.
Exposure method: Inhalation.

Potential health effects: Long term local effects.

DMEL: 0.38 mg of substance/m3

# Predicted no effect concentration (PNEC):

(Z)-OCTADEC-9-ENYLAMINE (CAS: 112-90-3)

Environmental compartment: Soil.
PNEC: 10 mg/kg

Environmental compartment: Fresh water. PNEC: 0.00026 mg/l

Environmental compartment: Sea water.

PNEC: 0.00026 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 0.55 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 0.1794 mg/kg

Environmental compartment: Marine sediment. PNEC: 0.01794 mg/kg

#### 8.2. Exposure controls

### Appropriate engineering controls

Ensure adequate ventilation, if possible with extractor fans at work posts and appropriate general extraction.

Personnel shall wear regularly laundered overalls.

# Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.



### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard ISO 16321.

# - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Type of gloves recommended:

Glove	0.38 mm
thickness:	
Break-through	> 480 mn
time:	

# - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# - Respiratory protection

Breathing apparatus only when aerosol or spray are formed.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

# Physical state

Physical state : Fluid liquid.

Colour

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) FORK 20 - fork-20	Version 7.1 (16-01-2025) - Page 6/12
Color:	Amber
Odour	
Odour threshold:	Not stated.
Melting point	
Melting point/melting range :	Not relevant.
Freezing point	
Freezing point / Freezing range :	Not stated.
Boiling point or initial boiling point and boiling range	
Boiling point/boiling range :	Not relevant.
Flammability	
Flammability (solid, gas) :	Not stated.
Lower and upper explosion limit	
Explosive properties, lower explosivity limit (%):	Not stated.
Explosive properties, upper explosivity limit (%):	Not stated.
Flash point	
Flash Point :	258.00 °C.
Auto-ignition temperature	
Self-ignition temperature :	Not relevant.
Decomposition temperature	
Decomposition point/decomposition range :	Not relevant.
pH	<u>'</u>
pH (aqueous solution):	Not stated.
pH:	Not relevant.
Kinematic viscosity	
Viscosity:	86,20 mm²/s à 40°C
Solubility	
Water solubility :	Insoluble.
Fat solubility:	Not stated.
Partition coefficient n-octanol/water (log value)	
Partition coefficient: n-octanol/water :	Not stated.
Vapour pressure	
Vapour pressure (50°C) :	Not relevant.
Density and/or relative density	'
Density:	<1
Relative vapour density	

Not stated.



### Particle characteristics

Vapour density:

The mixture does not contain nanoforms.

# 9.2. Other information

No data available.

# 9.2.1. Information with regard to physical hazard classes

No data available.

# 9.2.2. Other safety characteristics

No data available.

# **SECTION 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity

No data available.

# 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

# 10.3. Possibility of hazardous reactions

No data available.

# 10.4. Conditions to avoid

Keep away from heat and from sources of ignition

Take precautionary measures against static discharges.

# 10.5. Incompatible materials

Strong oxidants

Acids

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No data available.

11.1.1. Substances

**(1)** 

a) Acute toxicity:

(Z)-OCTADEC-9-ENYLAMINE (CAS: 112-90-3)

Oral route : 300 < LD50 <= 2000 mg/kg

Species: Rat

AMINES, N-TALLOW ALKYLTRIMETHYLENEDI-, OLEATES (CAS: 61791-53-5)

Oral route:

LD50 > 5000 mg/kg

Species : Rat

LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)

Oral route : LD50 > 5000 mg/kg

Species: Rat

OECD Guideline 401 (Acute Oral Toxicity)

Dermal route : 2,000 < LD50 <= 5000 mg/kg

Species: Rabbit

OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route (Dusts/mist): LC50 = 5.53 mg/l

Species: Rat

OECD Guideline 403 (Acute Inhalation Toxicity)

Duration of exposure: 4 h

**(1)** 

b) Skin corrosion/skin irritation:

PHOSPHORIC ACID (CAS: 7664-38-2)

Corrosivity: Causes severe skin burns.

c) Serious damage to eyes/eye irritation :

No data available.

d) Respiratory or skin sensitisation :

No data available.

e) Germ cell mutagenicity :

No data available.

f) Carcinogenicity:

No data available.

g) Reproductive toxicant:

, reproductive to

No data available.

h) Specific target organ systemic toxicity - single exposure :

No data available.

i) Specific target organ systemic toxicity - repeated exposure :

No data available.

j) Aspiration hazard :

No data available.

11.1.2. Mixture

a) Acute toxicity :

No data available.

b) Skin corrosion/skin irritation :

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non allergic contact dermatitis and

absorption through the skin.

**W** 

c) Serious damage to eyes/eye irritation :

Mild eye irritation

d) Respiratory or skin sensitisation:

No data available.

(B

e) Germ cell mutagenicity :

g) Reproductive toxicant :

No data available.

(A)

f) Carcinogenicity :

No data available.

.8

No data available.
h) Specific target organ systemic toxicity - single exposure :

No data available.

W)

i) Specific target organ systemic toxicity - repeated exposure :

No data available.

**(7)** 

j) Aspiration hazard :

"Inhalation of vapours may cause irritation of the respiratory system in very susceptible persons."

May cause lung damage if swallowed

11.2. Information on other hazards

**~** 

11.1.2.2 Other information

Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with effects on human health.

# SECTION 12 : ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

#### 12.1. Toxicity



12.1.1. Substances

(Z)-OCTADEC-9-ENYLAMINE (CAS: 112-90-3)

Fish toxicity: 0.01 < LC50 <= 0.1 mg/l

Factor M = 10

Species : Pimephales promelas

OCDE Ligne directrice 203 (Poisson, essai de toxicité aiguë)

Crustacean toxicity: 0.01 < EC50 <= 0.1 mg/l

Factor M = 10

Species : Daphnia magna

OCDE Ligne directrice 202 (Daphnia sp., essai d'immobilisation immédiate)

Algae toxicity: 0.01 < ECr50 <= 0.1 mg/l

Factor M = 10

Species : Desmodesmus subspicatus

AMINES, N-TALLOW ALKYLTRIMETHYLENEDI-, OLEATES (CAS: 61791-53-5)

Fish toxicity: 0.1 < LC50 <= 1 mg/l

Factor M = 1

Duration of exposure: 96 h

OCDE Ligne directrice 203 (Poisson, essai de toxicité aiguë)

Crustacean toxicity: 0.1 < EC50 <= 1 mg/l

Factor M = 1

Species : Daphnia magna Duration of exposure : 24 h

ECx > 1 mg/l

Species: Daphnia magna

OCDE Ligne directrice 211 (Daphnia magna, essai de reproduction)

Algae toxicity: 0.01 < ECr50 <= 0.1 mg/l

FORK 20 - fork-20

Factor M = 10

Species: Pseudokirchnerella subcapitata

Duration of exposure: 72 h

OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)

LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)

Fish toxicity: LC50 > 100 mg/l

Duration of exposure: 96 h

OCDE Ligne directrice 203 (Poisson, essai de toxicité aiguë)

Crustacean toxicity: EC50 > 10000 mg/l

Duration of exposure: 48 h

OCDE Ligne directrice 202 (Daphnia sp., essai d'immobilisation immédiate)

NOEC = 10 mg/l

Duration of exposure: 21 jours

OCDE Ligne directrice 211 (Daphnia magna, essai de reproduction)

Algae toxicity: ECr50 >= 100 mg/l

Duration of exposure: 72 h

OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)

**W** 

### 12.1.2. Mixtures

#### 12.2. Persistence and degradability



#### 12.2.1. Substances

ETHYL ACRYLATE (CAS: 140-88-5)

Biodegradability: no degradability data is available, the substance is considered as not

degrading quickly.

(Z)-OCTADEC-9-ENYLAMINE (CAS: 112-90-3)

Biodegradability: Rapidly degradable.

AMINES, N-TALLOW ALKYLTRIMETHYLENEDI-, OLEATES (CAS: 61791-53-5) Biodegradability: Rapidly degradable.

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC (CAS: 64742-54-7)

Biodegradability: no degradability data is available, the substance is considered as not

degrading quickly.

RESIDUAL OILS (PETROLEUM), HYDROTREATED (CAS: 64742-57-0)

Biodegradability: no degradability data is available, the substance is considered as not

degrading quickly.

LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)

Biodegradability: Non-rapidly degradable.



# 12.2.2. Mixtures

Biodegradation: No data on decomposition is available, the mixture is not considered to

decompose rapidly.

# 12.3. Bioaccumulative potential

# 12.3.1. Substances

(Z)-OCTADEC-9-ENYLAMINE (CAS: 112-90-3)

Bioaccumulation: BCF >= 500.

# 12.4. Mobility in soil

Not very mobile in soil.

The product is insoluble in water and will spread on the surface

### 12.5. Results of PBT and vPvB assessment

No data available.



# 12.6. Endocrine disrupting properties

FORK 20 - fork-20

The mixture does not contain any substance evaluated as an endocrine disruptor with environmental effects.

#### 12.7. Other adverse effects

Do not dispose of the product in the natural environment, effluents or surface waters.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.



#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.



### SECTION 14: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2023 - IMDG 2022 [41-22] - ICAO/IATA 2024 [65]).



### 14.1. UN number or ID number

3082



UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

((z)-octadec-9-enylamine)



### 14.3. Transport hazard class(es)

- Classification :



9



14.4. Packing group





### 14.5. Environmental hazards

- Environmentally hazardous material :





### 14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel	
	9	M6	Ш	9	90	5 L	274 335	E1	3	-	
							375 601				

\*Not subject to this regulation if Q <= 5 l / 5 kg (ADR 3.3.1 - DS 375)

					,				
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage	Segregati
								Handling	on
	9	-	III	5 L	F-A. S-F	274 335	E1	Category	-
						969		Α	

\*Not subject to this regulation if Q <= 5 I / 5 kg (IMDG 3.3.1 - 2.10.2.7)

	,	0	U	`	,				
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	9	-	Ш	964	450 L	964	450 L	A97 A158	E1
								A197 A215	
	9	-	III	Y964	30 kg G	-	-	A97 A158	E1
								A197 A215	

FORK 20 - fork-20

\*Not subject to this regulation if Q <= 5 I / 5 kg (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

Marine pollutant (IMDG 3.1.2.9):(amines, n-tallow alkyltrimethylenedi-, oleates)



### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

# SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2023/707.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2024/197. (ATP 21)



**Container information:** No data available.



# Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH):

https://echa.europa.eu/substances-restricted-under-reach.



### **Explosives precursors:**

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.



Particular provisions: No data available.



### Persistent organic pollutants (POP) (Regulation (EU) 2019/1021):

The mixture does not contain a persistent organic pollutant.

### 15.2. Chemical safety assessment

No data available.

# **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

# Wording of the phrases mentioned in section 3:

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.



### Abbreviations and acronyms:

LD50: The dose of a test substance resulting in 50% lethality in a given time period.

LC50: The concentration of a test substance resulting in 50% lethality in a given period.

EC50: The effective concentration of substance that causes 50% of the maximum response.

ECr50: The effective concentration of substance that causes 50% reduction in growth rate.

Ecx: The effective concentration of the substance that causes x% maximum reaction. NOEC: The concentration with no observed effect.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE: Acute Toxicity Estimate DMEL: Derived Minimal Effect Level

PNEC: Predicted No-Effect Concentration

STEL: Short-term exposure limit TWA: Time Weighted Averages TLV: Threshold Limit Value (exposure) AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.